

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>7</sup> : H04N 5/445, 7/173, 7/088 // H04H 9/00	A1	(11) International Publication Number: WO 00/67473 (43) International Publication Date: 9 November 2000 (09.11.00)
--	----	---

(21) International Application Number: PCT/US00/11373  
(22) International Filing Date: 28 April 2000 (28.04.00)  
(30) Priority Data:  
60/131,885 30 April 1999 (30.04.99) US  
(71) Applicant (for all designated States except US): THOMSON LICENSING S.A. [FR/FR]; 46, quai Alphonse Le Gallo, F-92648 Boulogne Cedex (FR).  
(72) Inventors; and  
(75) Inventors/Applicants (for US only): SIMPSON, Wanda, Green [US/US]; 8728 Bergeson Drive, Indianapolis, IN 46278 (US). JOHNSON, Michael, Wayne [US/US]; 7316 Cobblestone West Drive, Indianapolis, IN 46236 (US).  
(74) Agents: TRIPOLI, Joseph, S. et al.; Thomson Multimedia Licensing Inc., P.O. Box 5312, 2 Independence Way, Princeton, NJ 08543-5312 (US).


(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published  
With international search report.

(54) Title: ADVERTISEMENT SELECTION BASED ON USER ACTION IN AN ELECTRONIC PROGRAM GUIDE

(57) Abstract

A method of displaying a targeted advertisement on an electronic program guide based on consumer navigation is presented. A plurality of advertisements are received in a television apparatus through an auxiliary source. The received advertisements are stored along with their respective descriptor. Navigation of a user of the electronic program guide is monitored. Then a selected advertisement from the stored advertisements is displayed in response to the navigation monitoring.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## **ADVERTISEMENT SELECTION BASED ON USER ACTION IN AN ELECTRONIC PROGRAM GUIDE**

### **FIELD OF INVENTION**

The present invention generally relates to the field of electronic program  
5 guide processing and display, and more particularly, to a system and method of  
automatically displaying a targeted advertisement while a user is navigating  
within an electronic program guide.

### **BACKGROUND OF INVENTION**

Electronic devices such as televisions or VCRs require a control system  
10 that includes a user interface system. Typically, a user interface system provides  
information to a user and simplifies use of the device. One example of a user  
interface is an electronic menuing system in a television system. The menuing  
system allows a user to easily interact with and control a television system that  
is becoming more complex.

15 An example of a menuing system which allows user to navigate in today's  
television environment where there are many channels is an Electronic Program  
Guide (EPG). EPGs are very useful for providing program information while a  
consumer is watching TV. These EPGs are generally supported by advertising  
displayed along with the program information. These advertisements are sent as  
20 part of the EPG data and are displayed in a program guide screen based on time  
descriptors in the advertisement. These time descriptors are used by the receiver  
to control when the advertisement is made visible in the guide display.

### **SUMMARY OF THE INVENTION**

The present inventors recognized that the above method provides for poor  
25 control of advertisement exposure. It is the responsibility of the distribution  
system to define, using time descriptors, when an ad is to be displayed, without  
knowing any habit of the viewers. Furthermore, the time descriptors will not  
allow the presentation of the ads to be synchronized with the consumer's  
navigation within a program guide display.

30 The present inventors recognize that, therefore, it is desirable to be able to  
selectively show a targeted advertisement when a user is using an EPG in order  
to increase ad effectiveness. Therefore, a method of displaying a targeted

advertisement on an electronic program guide based on consumer navigation is presented, comprising the steps of:

receiving a plurality of advertisements through an auxiliary source in a television apparatus.

- 5 storing the received advertisements along with their respective descriptor;  
monitoring navigation of a user of the electronic program guide;  
displaying a selected advertisement from said stored advertisements in response to the navigation monitoring.

#### BRIEF DESCRIPTION OF THE DRAWING

10 In the drawing:

Figure 1 shows an exemplary architecture of a television system of the present invention.

Figure 2 shows an exemplary manner in which auxiliary information may be displayed with the program content associated with a television signal.

15 Figure 3 shows an exemplary manner in which auxiliary information may be displayed with an electronic program guide.

Figure 4 shows an exemplary flow diagram according to the present invention.

20 Figure 5 is also an exemplary flow diagram according to the present invention.

#### DETAILED DESCRIPTION

An exemplary embodiment of the present invention is shown in Fig. 1. The system comprises a video processing apparatus 101 capable of communicating television program signals and electronic program guide (EPG) signals each enhanced with auxiliary information, such as advertisements, by a television communication channel 103 such as terrestrial broadcast, cable distribution, satellite broadcast or the like. An example of such a video processing apparatus may be a satellite receiver set-top box, similar to that designed and manufactured by Thomson Consumer Electronics, of Indianapolis, Indiana, U.S.A., for receiving DirecTV™ satellite service provided by Hughes Electronics, and is described in detail, for example, in a PCT application bearing International Publication Number WO 98/56173.

25  
30

The system shown in Fig. 1 receives the enhanced television program and EPG signals via a video server 102, which combines signal sources representing both television program signal source 104 and electronic program guide signal source 105. The television receiver 101 displays the auxiliary information on a monitor 106 connected to the television receiver 101 in association with the displayed video portion corresponding to a selected television program signal and the displayed EPG derived from the EPG signal. Figure 2 shows the manner in which auxiliary information may be displayed with the program content associated with a television signal; and Figure 3 shows the manner in which auxiliary information may be displayed with an electronic program guide.

When the auxiliary information such as advertisement is selected by a user via a control system of a television receiver such as a remote control system 119, the system communicates information concerning the selection from the television receiver via a back channel such as a modem 106, to a "store and forward" server 110.

The store and forward server 110 collects and categorizes the selection information 114 from receiver 101 into packages related to the origin of the auxiliary information, and at a later time communicates the selected information back to a designated party, such as the originator of the auxiliary information. The time delay allows for the selection of the transmission times (e.g., at night) to minimize costs. The server 110 also determines the signal source associated with the selected auxiliary information (i.e., the source of the television signal or the EPG signal) and the number of times the auxiliary information has been selected. The number is used by the operator of the server to determine a fee to be paid, e.g., by the originator of the auxiliary information. This information may also be used to selectively determine the type of auxiliary information to be transmitted to or displayed for the user.

The selection information 114 communicated to the store and forward server from a television receiver may include identification data 113 for identifying the television receiver 101 from which the selection information 114 was sent. Such a provision allows the originator of the auxiliary information to identify and communicate with the consumers making the selection for the

purposes of providing additional information and making sales. In a related feature, the provision of identifying the television receiver through the back channel may allow an audience survey company to monitor the viewing habits of the consumers.

5           Various signal formats for embedding the auxiliary information in the television program signals and EPG signals are available. For example, a protocol known as ATVEF proposed by the Advance Television Enhancement Forum, an alliance of television communication and computer companies is advantageous. The protocol is based on the HTML (Hypertext Markup Language) utilized in the  
10 Internet. The ATVEF protocol may be used with both analog and digital television systems. Other protocols may be used. In an analog television system, the auxiliary information may be included in the vertical blanking interval (VBI) of the television program signal, together with the EPG signal. In a digital television system the auxiliary information may be "packetized" and inserted into  
15 the digital data stream including the television program data and EPG data.

          Another tier or feature level of the television system may also include provisions for communicating E-mail information, e.g., via the store and forward sever, also enhanced with auxiliary information, such as advertisements, to television receivers. In that case, the store and forward server also collects and  
20 categorizes the selection information associated with e-mail and quantifies the selection information for revenue tracking purposes. In this tier, providing auxiliary information, such as advertisements, subsidizes the cost of the E-mail service and may, in fact, allow for "free-mail". However, since the server delays the transmission of data so as to be economic, still other tiers of the system may  
25 provide for accelerated E-mail communication service and possibly also connection to the Internet upon the payment of fees by the consumer. Such an e-mail server 111 and Internet server 112 are shown in Fig. 1.

          The auxiliary information may also contain software for operating the television receiver or for providing an additional functionality to it, such as video  
30 games or personal computer functions including, e.g., word processing and spread sheet programs. To the extent that the television receiver itself has insufficient data processing capability itself, e.g., insufficient memory, such data

processing may be shared from a personal computer linked to the television receiver via a bus.

Another aspect of such an apparatus provides for integrating a web browser and either an Ethernet or HomePNA interface for networking. Connecting the apparatus to a personal computer (PC) enhances the functionality by being able to download software applications, such as a word processor or spreadsheet, from the PC. Further, the apparatus could utilize the PC for data storage or for printing. A network connection would enable storing a URL directly and/or automatically on the PC.

In Figure 1, a television program signal source 104 combines a television program signal 104a with an auxiliary information signal 104b, such as an advertisement, to produce an enhanced television program signal 115 that is supplied to the video server 102. Also supplied to the server is an enhanced electronic program guide (EPG) signal from an electronic program guide signal source. The enhanced EPG signal represents a combination of an EPG signal 116 representative of program guide information 105a and a second auxiliary information signal 105a, such as an advertisement. Thus, auxiliary information such as advertisements may be included with either or both of the video and EPG signals.

The video server 116 communicates a signal comprising the enhanced television signal and/or the enhanced EPG signal to a video signal processing device, such as TV receiver 101, via a television communication channel. As described above, a back channel from the video signal processing device, e.g., TV, is provided via means of a device such as a modem 106. The back channel couples the video signal processing device 101 to a store and forward server 110 where data is stored and processed before being forwarded to other destinations. For example, packets of data may be forwarded to advertisers or others communicating auxiliary information to a viewer. The store and forward server 110 also provides a link between the email server 111 and internet server 112 that provide respective email and internet connection services to users in accordance with the tier of service to which the user subscribes. An auxiliary information signal may also be coupled to the system via the email server 111.

In FIG. 2, auxiliary information, such as advertisements for the television program "Friends" 205 and for Carnival Cruise Lines 206, is shown displayed with EPG information 210 and with video program information 215 such as the television program "ER". The video program window 215 could be larger or  
5 smaller as could the display regions associated with the auxiliary information 205 or 206 and the EPG information 215. Also, three types of display regions are shown simultaneously in FIG. 2 (i.e., video or television program, auxiliary information, and EPG regions), a display might include only one or only two of the three regions. For example, FIG. 3 shows auxiliary information, such as  
10 advertisements 305 and 306 displayed with EPG information 310 and without video or television program information.

As discussed above, program guide information are being provided to set-top boxes and televisions in satellite, cable, terrestrial, etc. systems to include, for example, advertisements. These advertisements may either be  
15 hard-coded into the receiving unit's software, or they are downloaded via the auxiliary signal distribution system.

As mentioned previously, current systems display advertisements in a program guide screen based on time descriptors in the advertisement. These time descriptors are used by the receiver to control when the advertisement is made  
20 visible in the guide display. This method provides for poor control of advertisement exposure. It is the responsibility of the distribution system to define, using time descriptors, when an ad is to be displayed, without knowing any habit of the viewers. Furthermore, the time descriptors will not allow the presentation of the ads to be synchronized with the consumer's navigation  
25 within a program guide display.

In accordance with the present invention, the present inventors recognize that a consumer navigating through a program guide display, his or her focus changes from one program to another. Therefore, the guide advertisements should be adjusts accordingly, to achieve the maximum results. If the consumer  
30 is attracted by the advertisement; he or she is only one or two button presses from viewing the advertised program.



The present method of channel and time specific advertisement placement can be done using information being displayed in the program guide screen as well as new descriptors in the advertisement's data. The channel numbers of the channels being displayed in the guide along with new descriptors in the advertisement's data such as a Channel Id and/or Program Id, can be used to present a channel/program-specific advertisement. This allows for the following. When the consumer scrolls through a program guide display and highlights or is about to highlight a program on a channel, a catchy advertisement specific to that program can be started which will lure the consumer to tune to that program.

The placement of a particular advertisement in the program guide according to the present invention, may be controlled as shown, for example, in the flow chart of Fig. 4 and described in detail below. As shown in Fig. 4, when the consumer displays the program guide as shown in step 401, a software process called, for example, Advertisement Manager 400, queries the Channel and Program Specific (CPS) advertisement queue, as in step 402. This queue is maintained by a separate process as shown in Fig. 5.

The Channel and Program Specific advertisement queue process shown in Fig. 5 will obtain advertisement information from advertisement data sent as the auxiliary information signal of the enhanced television program signal 104 or electronic program guide signal source 105, as shown in step 501. In step 502, a determination is made to see whether a particular advertisement received is subject to be displayed based on consumer navigation. This is done by looking at, for example, a control bit in the advertisement data. If the determination is affirmative, as in step 504, this particular advertisement will be placed in the CPS queue to be used by Advertisement Manager 400 as described below.

Continue on step 403 of Fig. 4, the Advertisement Manager 400 check to see if CPS advertisements exist from the CPS queue. The Advertisement Manager 400 then wait for some type of consumer navigation, in step 405. This can be done, for example, by monitor the highlight position of a cruiser or user key entries on the remote. It then checks the channel and program information of each ad and compares it to the channels and programs being highlighted in the

guide screen, in step 406. This is done, for example, when the guide display is scrolled or paged with respect to time or channels or when new guide data is presented on the screen. If the channel descriptor of an ad matches one of the channels being displayed or very shortly about to be displayed, determined by  
5 monitoring the direction of scroll within the guide, the Advertisement Manager 400 compares the program descriptor of the ad with the program being displayed in the guide. If the channel and program information correspond, the ad is displayed, as in steps 406 and 407. Otherwise, the Advertisement Manager 400 continues to monitor the CPS ad queue and/or display non-CPS ads, as in steps  
10 402, 403 and 404.

It will be readily apparent to those skilled in the art that the teachings of the present invention described above may be applied to a television, VCR, settop boxes, a video storage and playback unit such as a Tivo, etc., without departing from the true scope of the claims appended hereto.

**CLAIMS**

1. A method of displaying a targeted advertisement on an electronic program guide based on consumer navigation, comprising the steps of:  
receiving a plurality of advertisements through an auxiliary source in a  
5 television apparatus.  
storing the received advertisements along with their respective descriptor;  
monitoring navigation of a user of the electronic program guide; and  
displaying a selected advertisement from said stored advertisements in  
response to the navigation monitoring.

10

2. The method of claim 1 wherein the descriptor comprises a channel descriptor.

3. The method of claim 2 wherein the advertisement is selected for  
15 displayed in the displaying step when the channel descriptor of the selected advertisement matches the channel highlighted by the user.

4. The method of claim 2 wherein the descriptor further comprises a time descriptor.

20

5. The method of claim 4 wherein the advertisement is selected for  
displayed in the displaying step when the channel descriptor of the selected advertisement matches the channel highlighted by the user and the time descriptor of the selected advertisement matches a current time.

25

6. The method of claim 1 wherein the auxiliary source in the receiving step is through a television communication channel.

7. A method of displaying a targeted advertisement on an electronic  
30 program guide based on consumer navigation, comprising the steps of:  
storing a plurality of preprogrammed advertisements along with their respective descriptor in a television apparatus;

monitoring navigation of a user of the electronic program guide; and  
displaying a selected advertisement from the stored advertisements in  
response to the navigation monitoring.




FIGURE 1

2/5





FIG. 2

3/5

Program Guide  
Family  
10:42pm  
Thursday 1/7/99



"ER". Drama. George Clooney, Anthony Edwards. (1998) An animal rights group stages a hoax automobile accident, diverting valuable time from a real emergency.

Rerun. (CC)

1/7	10:30PM	11:00PM	11:30PM	12:00AM
Z92 NBC	ER	The Tonight Show		
Z93 FOX	Judge Judy	Simpsons	Star Trek Voyager	
Z94 MTV	Singled Out	Daria	Love Phones	
Z95 NBCW	Suddenly Susan		Touched By An Angel	
Z96 ESPN	Football Highlights		Auto Racing	



310

FIG. 3

4/5




Fig 4



5/5




Fig 5

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/US 00/11373

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 H04N5/445 H04N7/173 H04N7/088 //H04H9/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 00975 A (THOMSON CONSUMER ELECTRONICS INC.) 8 January 1998 (1998-01-08) page 2, line 13 -page 3, line 37 page 5, line 5 - line 31 page 6, line 30 -page 11, line 33 page 18, line 12 - line 32 ---	1-7
X	US 4 888 638 A (BOHN J.) 19 December 1989 (1989-12-19) the whole document ---	1-7
Y	US 5 710 601 A (MARSHALL C. ET AL) 20 January 1998 (1998-01-20) column 3, line 24 -column 4, line 32 --- -/--	1-7

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

11 August 2000

Date of mailing of the international search report

21/08/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Verschelden, J

# INTERNATIONAL SEARCH REPORT

Inter.      nal Application No  
PCT/US 00/11373

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 94 13107 A (DISCOVERY COMMUNICATIONS INC.) 9 June 1994 (1994-06-09) page 26, line 22 -page 29, line 7 ----	1-7
A	US 5 880 768 A (LEMMONS T. ET AL) 9 March 1999 (1999-03-09) column 19, line 24 - line 54 ----	1-7
A	US 5 623 613 A (ROWE K. ET AL) 22 April 1997 (1997-04-22) column 7, line 16 -column 8, line 67 ----	1-7
A	US 5 600 364 A (HENDRICKS J. ET AL) 4 February 1997 (1997-02-04) column 29, line 43 -column 31, line 63 ----	1-7
A	US 5 559 548 A (DAVIS B. ET AL) 24 September 1996 (1996-09-24) column 10, line 11 -column 17, line 15 ----	1-7
A	US 5 838 314 A (NEEL D. ET AL) 17 November 1998 (1998-11-17) column 17, line 26 -column 22, line 2 column 24, line 62 - line 64 ----	1-7
P,X	WO 99 29109 A (STARSIGHT TELECAST INC.) 10 June 1999 (1999-06-10) page 2, line 6 - line 10 page 12, line 20 -page 14, line 29 -----	1-7

# INTERNATIONAL SEARCH REPORT

information on patent family members

Inter. Application No

PCT/US 00/11373

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9800975 A	08-01-1998	US 5929850 A AU 3648197 A EP 0909512 A	27-07-1999 21-01-1998 21-04-1999
US 4888638 A	19-12-1989	AU 4257189 A EP 0363847 A JP 2211762 A	26-04-1990 18-04-1990 23-08-1990
US 5710601 A	20-01-1998	US 5523796 A US 6002444 A AU 692556 B AU 2597295 A BR 9507734 A DE 69506403 D DE 69506403 T EP 0761065 A JP 10504147 T WO 9532587 A	04-06-1996 14-12-1999 11-06-1998 18-12-1995 19-08-1997 14-01-1999 29-04-1999 12-03-1997 14-04-1998 30-11-1995
WO 9413107 A	09-06-1994	AT 177277 T AT 176840 T AT 192005 T AT 190180 T AT 183352 T AT 176841 T AU 715683 B AU 4440797 A AU 712157 B AU 4532597 A AU 693775 B AU 5732994 A AU 692427 B AU 5733094 A AU 691479 B AU 5733194 A AU 692428 B AU 5733294 A AU 5736394 A AU 5845894 A AU 5869894 A AU 716184 B AU 6066798 A AU 716182 B AU 6066898 A BR 9307619 A BR 9307620 A BR 9307621 A BR 9307622 A BR 9307624 A BR 9307625 A CA 2151456 A CA 2151457 A CA 2151458 A CA 2151459 A CA 2151460 A CA 2151461 A CA 2151462 A CN 1093211 A	15-03-1999 15-03-1999 15-05-2000 15-03-2000 15-08-1999 15-03-1999 10-02-2000 29-01-1998 28-10-1999 05-02-1998 09-07-1998 04-07-1994 11-06-1998 04-07-1994 21-05-1998 04-07-1994 11-06-1998 04-07-1994 04-07-1994 22-06-1994 04-07-1994 24-02-2000 04-06-1998 24-02-2000 04-06-1998 15-06-1999 10-08-1999 15-06-1999 15-06-1999 15-06-1999 31-08-1999 23-06-1994 23-06-1994 23-06-1994 23-06-1994 23-06-1994 09-06-1994 23-06-1994 05-10-1994

# INTERNATIONAL SEARCH REPORT

information on patent family members

Inter. natl Application No

PCT/US 00/11373

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9413107 A		CN 1090451 A	03-08-1994
		CN 1090452 A	03-08-1994
		CN 1096151 A	07-12-1994
		CN 1090453 A	03-08-1994
		CN 1090454 A	03-08-1994
		DE 69323560 D	25-03-1999
		DE 69323560 T	23-09-1999
		DE 69323562 D	25-03-1999
		DE 69323562 T	23-09-1999
		DE 69323767 D	08-04-1999
		DE 69323767 T	21-10-1999
US 5880768 A	09-03-1999	AU 2257799 A	27-05-1999
		AU 700434 B	07-01-1999
		AU 5444196 A	23-10-1996
		BR 9608014 A	02-03-1999
		DE 69606857 D	06-04-2000
		DE 69606857 T	29-06-2000
		EP 0819354 A	21-01-1998
		EP 0963109 A	08-12-1999
		JP 11503578 T	26-03-1999
		WO 9631980 A	10-10-1996
US 5623613 A	22-04-1997	US 6008803 A	28-12-1999
		US 5812123 A	22-09-1998
US 5600364 A	04-02-1997	AU 693148 B	25-06-1998
		AU 1430695 A	19-06-1995
		BR 9408211 A	26-08-1997
		CA 2177153 A	08-06-1995
		EP 0732031 A	18-09-1996
		EP 0963116 A	08-12-1999
		JP 9510327 T	14-10-1997
		NZ 278185 A	27-04-1998
		WO 9515658 A	08-06-1995
		AT 177277 T	15-03-1999
		AT 176840 T	15-03-1999
		AT 192005 T	15-05-2000
		AT 190180 T	15-03-2000
		AT 183352 T	15-08-1999
		AT 176841 T	15-03-1999
		AU 715683 B	10-02-2000
		AU 4440797 A	29-01-1998
		AU 712157 B	28-10-1999
		AU 4532597 A	05-02-1998
		AU 693775 B	09-07-1998
		AU 5732994 A	04-07-1994
		AU 692427 B	11-06-1998
		AU 5733094 A	04-07-1994
		AU 691479 B	21-05-1998
		AU 5733194 A	04-07-1994
		AU 692428 B	11-06-1998
		AU 5733294 A	04-07-1994
		AU 5736394 A	04-07-1994
		AU 5845894 A	22-06-1994
		AU 5869894 A	04-07-1994
		AU 716184 B	24-02-2000
		AU 6066798 A	04-06-1998

# INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 00/11373

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5600364 A		AU 716182 B	24-02-2000
		AU 6066898 A	04-06-1998
		BR 9307619 A	15-06-1999
		BR 9307620 A	10-08-1999
		BR 9307621 A	15-06-1999
		BR 9307622 A	15-06-1999
		BR 9307624 A	15-06-1999
		BR 9307625 A	31-08-1999
		CA 2151456 A	23-06-1994
		CA 2151457 A	23-06-1994
		CA 2151458 A	23-06-1994
		CA 2151459 A	23-06-1994
		CA 2151460 A	23-06-1994
		CA 2151461 A	09-06-1994
		CA 2151462 A	23-06-1994
		CN 1093211 A	05-10-1994
US 5559548 A	24-09-1996	US 5635978 A	03-06-1997
		AU 691347 B	14-05-1998
		AU 3681895 A	09-04-1996
		BR 9509033 A	28-10-1997
		CA 2200348 A	28-03-1996
		EP 0782806 A	09-07-1997
		JP 10506248 T	16-06-1998
		WO 9609721 A	28-03-1996
US 5838314 A	17-11-1998	NONE	
WO 9929109 A	10-06-1999	AU 1707299 A	16-06-1999

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**